



Link Vue Systems Pty Ltd.


PRODUCT CATALOGUE

Light interface units (LIU)

Din-Rail Mount, Rack Mount, and Wall Mount

Fiber Patch Cord

All types & all size available



CONTENTS



FIBER PATCH PANEL

6/12/24/48 Port Patch Panel/LIU

SPECIFICATIONS:-

- Material: Mild Steel/Aluminum with 7 Tank Process powder coating.
- Color: RAL 7035/Black
- Cable grommet: FR grade nylon
- Splice Holder: FR grade ABS
- Splice Holder Dimension : 90*55*15 mm (L*W*H) cable
- Cable Glands: Nylon with nitrile butadiene rubber, diameter of 5mm to 14mm max available
- Fiber components standard: Telecordia GR 326
- Insertion Loss: less <3dB (Multimode), <2dB (Singlemode)
- Plug/Unplug durability: 1000 times

APPLICATIONS

- Data Center
- Telecom
- Private Network
- Security Surveillance Applications
- Enterprise applications
- Central offices

PRODUCTS FEATURES

- MS/Aluminum housing with seven tank process powder coating.
- Suitable for 19" Rack mount Applications.
- Replaceable adapter panel for SC/ST/LC/FC type couplers
- Can manage adaptor panel for maximum 96 ports in SC/96, LC In 20 size
- Capable of storing up to 3 meters of 900 micron light buffered fiber cable.
- Allow maximum four cables entry,
- Patch or fusion splice field termination standard.
- Splice holder for pigtail splicing
- High Impact resistance splicing tray & cable spool for fiber & pigtail routing
- Accessory kit includes mounting ear, cable gland, cable ties and screws.

Nano Din Rail LIU 2/4/6 Port SM/MM	Micro Din Rail LIU 2/4/6/8/12 Port SM/MM	Mini Din Rail LIU 2/4/6/8/12/24 Port SM/MM
	Medium Din Rail LIU 2/4/6/8/12/24/48 Port SM/MM	

APPLICATIONS

- Indoor Premise Networks
- Central offices (FTTX)
- Data Centers
- Security Surveillance Applications
- Process Automation & Control Systems
- Telecommunication Network
- FTTH Services

FIBER PATCH CORD**SM-SC/LC/FC/ST****MM-SC/LC/FC/E200**

Duplex SM Patch cord 20/25 METER SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 25M PVC)

Duplex SM Patch cord 40/50 METER SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 50M PVC)

Duplex SM Patch Cord 1 METER -SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 1M PVC)

Duplex SM Patch Cord 3 METER SC TO LC (LC/UPC-SC/UPC, SM, DX, 2.0MM 3M, LSZH)

Simplex SM Patch cord 20/25 METER SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 25M PVC)

Simplex SM Patch cord 40/50 METER SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 50M PVC)

Simplex SM Patch Cord 1 METER -SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 1M PVC)

Simplex SM Patch Cord 3 METER SC TO LC (LC/UPC-SC/UPC, SM, DX, 2.0MM 3M, LSZH)

Duplex MM Patch cord 20/25 METER SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 25M PVC)

Duplex MM Patch cord 40/50 METER SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 50M PVC)

Duplex MM Patch Cord 1 METER -SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 1M PVC)

Duplex MM Patch Cord 3 METER SC TO LC (LC/UPC-SC/UPC, SM, DX, 2.0MM 3M, LSZH)

Simplex MM Patch cord 20/25 METER SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 25M PVC)


Simplex MM Patch cord 40/50 METER SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 50M PVC)

Simplex MM Patch Cord 1 METER -SC TO LC (SC/UPC-LC/UPC SM DX 2.0mm 1M PVC)

Simplex MM Patch Cord 3 METER SC TO LC (LC/UPC-SC/UPC, SM, DX, 2.0MM 3M, LSZH)



Fiber Optic Connector




Fiber Optic Adaptor





LINK VUE SYSTEMS PTY LTD.



LINK VUE SYSTEMS PTY LTD.

Add.: Head Office: 45 Evans Street, Balmain. NSW. AUSTRALIA

AUS-Mobile: + 61- 0415541106,

Mobile: +91 9811698640 ,+91-9811247237,

E-mail: manish@linkvuesystem.com

E-mail: manav.chandra@linkvuesystem.com

<http://www.linkvuesystem.com.au>